

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Sports Salve Stick 2000 Mg Matrix: Derivative Type: Topical

Sample: DA30620007-001 Harvest/Lot ID: 15037

Batch#: 456ISX

Batch Date: 06/01/23 Sample Size Received: 70 units

Total Amount: 70 units

Retail Product Size: 70 gram

Ordered: 06/20/23 Sampled: 06/20/23

Completed: 06/26/23 Sampling Method: SOP.T.20.010.FL

PASSED

Pages 1 of 5

Dania Beach, FL, 33004, US

PRODUCT IMAGE

1241 stirling road

SAFETY RESULTS

Jun 26, 2023 | Carmens Medicinals



Pesticides PASSED





Heavy Metals PASSED



Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**



Water Activity



Moisture



NOT TESTED

PASSED



Cannabinoid

Total THC

Total THC/Container: 0 mg



Total CBD 3.272%

Total CBD/Container: 2290.4 mg

Reviewed On: 06/22/23 11:54:11

Batch Date: 06/21/23 09:04:44



Total Cannabinoids

Total Cannabinoids/Container: 2324 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	3.272	ND	ND	ND	ND	0.013	ND	0.019	0.016
mg/unit	ND	ND	2290.4	ND	ND	ND	ND	9.1	ND	13.3	11.2
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3112, 1665, 585	, 1440			Weight: 3.0495g		Extraction date: 06/21/23 12:08:	33	XV		Extracted by: 3112	$\overline{}$

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA061551POT

Instrument Used: DA-LC-003 Analyzed Date: 06/21/23 12:10:52

Reagent: 062123.R26: 032123.11: 062123.R25

Consumables: 250350; 280670723; CE0123; 115C4-1151; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sports Salve Stick 2000 Mg

N/A

Matrix : Derivative Type: Topical



Certificate of Analysis

Carmons Medicinals

1241 stirling road Dania Beach, FL, 33004, US **Telephone:** (954) 993-8077 **Email:** juan@carmensmedicinals.com Sample : DA30620007-001 Harvest/Lot ID: 15037

Batch#: 456ISX Sampled: 06/20/23 Ordered: 06/20/23 Sample Size Received: 70 units
Total Amount: 70 units

Completed: 06/26/23 Expires: 06/26/24
Sample Method: SOP Client Method

PASSED

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD		Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET		0.01	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	14	0.01	mag	0.4	PASS	ND
OTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE		0.01	ppm	1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.3	PASS	ND			0.01		0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	3	PASS	ND	PROPOXUR			ppm			
CEQUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN		0.01	ppm	3	PASS	ND
CETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN		0.01	ppm	3	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	3	PASS	ND
ZOXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	3	PASS	ND	TEBUCONAZOLE		0.01	ppm	1	PASS	ND
FENTHRIN	0.01	ppm	0.5	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
DSCALID	0.01	ppm	3	PASS	ND	THIAMETHOXAM		0.01	ppm	1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	3	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND		DENIZENE (DONE)		PPM	\	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	PENTACHLORONITRO		0.01		0.2		
HLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL *	1	0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	3	PASS	ND
OFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	1	PASS	ND
AZINON	0.01	ppm	3	PASS	ND	CYPERMETHRIN *		0.05	PPM	1	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction	dator		Extracted b	
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585	0.206g	06/23/23 13			3379,585	у.
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP				(Davie), SOF		Gaines
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie		/ " \ /			\	
TOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA0				On:06/26/2		
NHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-			Batch Dat	te:06/23/23	10:05:03	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 06/23/	23 13:08:57					
NPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution: 250 Reagent: 061923.R01	. 062222 012, 0614	22 022 0620	22 001. 06	:n=22 p26, n	S2122 DO1. O	10521 1
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables: 669707		23.R23; 0020)23.KU1; U	00323.R26; U	002123.RU1; U2	+0521
LONICAMID	0.01	ppm	2	PASS	ND	Pipette: DA-093; DA-0						
LUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural a	gents is performed u	tilizing Liquid	Chromatoo	raphy Triple-	Quadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accorda	ince with F.S. Rule 64	ER20-39.				
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted b	y:
IIDACLOPRID	0.01	ppm	1	PASS	ND	450, 585	0.206g	06/23/23 13			3379,585	
RESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method : SOP						
ALATHION	0.01	ppm	2	PASS	ND	Analytical Batch : DA0 Instrument Used : DA-				1:06/26/23 1 06/23/23 10		
TALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 06/23/		De	icii Date :	00/23/23 10	.00.42	
THIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250						
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 061423.R23	; 040521.11; 06122	3.R25; 06122	23.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 669707	75-02; 14725401					
YCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette: DA-080; DA-1	46; DA-218					
ALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural a in accordance with F.S. F		tilizing Gas C	hromatogra	phy Triple-Qu	uadrupole Mass	Spectr

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sports Salve Stick 2000 Mg

N/A

Matrix : Derivative Type: Topical



PASSED

ΛΧ

Page 3 of 5

Certificate of Analysis

Carmons Medicinals

1241 stirling road Dania Beach, FL, 33004, US **Telephone:** (954) 993-8077 **Email:** juan@carmensmedicinals.com Sample : DA30620007-001 Harvest/Lot ID: 15037

Batch#: 456ISX Sampled: 06/20/23 Ordered: 06/20/23 Sample Size Received: 70 units
Total Amount: 70 units
Completed: 06/26/23 Expires: 06/26/24
Sample Method: SOP Client Method

Ä

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	< 0.5
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by:	Weight:	Extraction date:	1/1//	Ex	tracted by:

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 850, 585
 0.0279g
 06/26/23 07:07:49
 850

Reviewed On: 06/26/23 11:14:38

Batch Date: 06/23/23 12:39:22

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA061700SOL Instrument Used: DA-GCMS-002 Analyzed Date: 06/26/23 07:34:15

Dilution: 1 Reagent: 030420.09 Consumables: 426108; KE136 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sports Salve Stick 2000 Mg

N/A

Matrix : Derivative Type: Topical



Certificate of Analysis

1241 stirling road Dania Beach, FL, 33004, US Telephone: (954) 993-8077 Fmail: iuan@carmensmedicinals.com Sample : DA30620007-001 Harvest/Lot ID: 15037

Batch#: 456ISX Sampled: 06/20/23 Ordered: 06/20/23

Sample Size Received: 70 units

Total Amount: 70 units

Completed: 06/26/23 Expires: 06/26/24 Sample Method: SOP Client Method

PASSED

Page 4 of 5

Reviewed On: 06/26/23 11:13:24

Batch Date: 06/23/23 10:08:40



Microbial



DASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level	Ana
ASPERGILL	US TERREUS			Not Present	PASS		AFL
ASPERGILL	JS NIGER			Not Present	PASS		AFL
ASPERGILL	US FUMIGATUS			Not Present	PASS		OCI
ASPERGILL	US FLAVUS			Not Present	PASS		AFL
SALMONEL	LA SPECIFIC GENE			Not Present	PASS		AFL
ECOLI SHIG	ELLA			Not Present	PASS		Anal
TOTAL YEAST AND MOLD		10	CFU/g	<10	PASS	100000	3379
Analyzed by:	Weight:	Extra	ction date:		xtracted b	v:	Anal

3390, 3621, 585

0.8135g

Extraction date: 06/23/23 09:56:01 Extracted by: 3621,3390

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA061666MIC

Reviewed On: 06/24/23 Batch Date: 06/23/23

08:08:04

Instrument Used: PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block

DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date: 06/23/23 11:12:18

Reagent: 050223.41; 092122.01; 092122.09; 062323.R18 Consumables: 7562003044

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3390, 3702, 585	0.8135g	06/23/23 09:56:01	3621,3390

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA061681TYM Reviewed On: 06/25/23 12:57:49 Instrument Used : Incubator (25-27C) DA-096 Batch Date: 06/23/23 09:57:08 **Analyzed Date :** 06/23/23 11:14:35

Reagent: 050223.41; 060723.R45

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Thycotte	XIIIS		PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level			
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02			
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02			
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02			

AFLATOXIN G1 DASS 0.002 ppm **AFLATOXIN G2** 0.002 PASS ppm Analyzed by: Weight: **Extraction date:** Extracted by: 3379, 585 0.206g 06/23/23 13:12:40 3379,585

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA061690MYC Instrument Used : N/A

Analyzed Date: 06/23/23 13:09:02

Dilution: 250

Reagent: 061923.R01; 062223.R12; 061423.R23; 062023.R01; 060523.R26; 062123.R01;

040521.11 Consumables: 6697075-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAM	0.08	ppm	ND	PASS	5		
ARSENIC		0.02	ppm	ND	PASS	1.5	
CADMIUM		0.02	ppm	ND	PASS	0.5	
MERCURY		0.02	ppm	ND	PASS	3	
LEAD		0.02	ppm	< 0.1	PASS	0.5	
		raction date: 23/23 10:03:			racted by 19,1022	/:	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA061672HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 06/23/23 13:28:24 Reviewed On: 06/24/23 13:09:18 Batch Date: 06/23/23 09:04:58

Dilution: 50

Reagent: 061523.R17; 042623.R82; 061623.R25; 061623.R06; 061623.R23; 061623.R24; 061923.R19; 050923.01; 061423.R46

Consumables: 179436; 15021042; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Sports Salve Stick 2000 Mg

N/A

Matrix : Derivative Type: Topical



PASSED

Page 5 of 5

Certificate of Analysis

1241 stirling road Dania Beach, FL, 33004, US Telephone: (954) 993-8077 Fmail: iuan@carmensmedicinals.com Sample : DA30620007-001 Harvest/Lot ID: 15037

Batch#: 456ISX Sampled: 06/20/23 Ordered: 06/20/23

Sample Size Received: 70 units Total Amount: 70 units Completed: 06/26/23 Expires: 06/26/24 Sample Method: SOP Client Method

Filth/Foreign **Material**

PASSED

Reviewed On: 06/23/23 13:17:35 Batch Date: 06/23/23 13:08:30

Analyte LOD Units Result **Action Level** Filth and Foreign Material 0.1 % ND PASS Analyzed by: 1879, 585 Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA061702FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 06/23/23 13:14:47

Dilution: N/AReagent : N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

