



# Certificate of Analysis

## COMPLIANCE FOR RETAIL











Sample: DA30818010-001  
Harvest/Lot ID: 15156  
Batch#: 1500-2ISX  
Batch Date: 08/17/23  
Sample Size Received: 30 ml  
Total Amount: 30 ml  
Retail Product Size: 30 ml  
Sample Density: 1.0 g/mL  
Ordered: 08/17/23  
Sampled: 08/17/23  
Completed: 08/22/23  
Revision Date: 08/22/23  
Sampling Method: SOP.T.20.010.FL

Aug 22, 2023 | Carmens Medicinals  
1241 Stirling Road  
Dania Beach, FL, 33004, US



**PASSED**

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filtration <b>PASSED</b>	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes <b>TESTED</b>

### Cannabinoid **PASSED**



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.193	ND	4.978	ND	ND	3.585	ND	0.091	ND	0.032	0.406
mg/ml	1.93	ND	49.78	ND	ND	35.85	ND	0.91	ND	0.32	4.06
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by: 1665, 585, 1440      Weight: 2.8473g      Extraction date: 08/21/23 11:41:18      Extracted by: 1665  
 Analysis Method : SOP.T.40.031, SOP.T.30.031      Reviewed On : 08/22/23 11:38:10  
 Analytical Batch : DA063551POT      Batch Date : 08/20/23 19:01:08  
 Instrument Used : DA-LC-007  
 Analyzed Date : 08/21/23 11:41:53  
 Dilution : 40  
 Reagent : 080123.02; 081823.R06; 030322.03; 030923.08; 081823.R03  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
08/22/23

Revision: #1 - Clerical error.



# Certificate of Analysis

**PASSED**

Carmens Medicinals

1241 stirling road  
Dania Beach, FL, 33004, US  
Telephone: (954) 993-8077  
Email: juan@carmensmedicinals.com

Sample : DA30818010-001  
Harvest/Lot ID: 15156

Batch# : 1500-215X  
Sampled : 08/17/23  
Ordered : 08/17/23

Sample Size Received : 30 ml  
Total Amount : 30 ml  
Completed : 08/22/23 Expires: 08/22/24  
Sample Method : SOP Client Method

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/ml	%	Result (%)	Terpenes	LOD (%)	mg/ml	%	Result (%)
TOTAL TERPENES	0.007	8.30	0.830	<div style="width: 83%;"></div>	FARNESENE	0.001	0.03	0.003	<div style="width: 0.3%;"></div>
TOTAL TERPINEOL	0.007	ND	ND	<div style="width: 0%;"></div>	ALPHA-HUMULENE	0.007	0.33	0.033	<div style="width: 3.3%;"></div>
ALPHA-BISABOLOL	0.007	0.92	0.092	<div style="width: 9.2%;"></div>	VALENCENE	0.007	<0.20	<0.020	<div style="width: 0%;"></div>
ALPHA-PINENE	0.007	0.60	0.060	<div style="width: 6.0%;"></div>	CIS-NEROLIDOL	0.007	ND	ND	<div style="width: 0%;"></div>
CAMPHENE	0.007	ND	ND	<div style="width: 0%;"></div>	TRANS-NEROLIDOL	0.007	<0.20	<0.020	<div style="width: 0%;"></div>
SABINENE	0.007	ND	ND	<div style="width: 0%;"></div>	CARYOPHYLLENE OXIDE	0.007	0.20	0.020	<div style="width: 2.0%;"></div>
BETA-PINENE	0.007	ND	ND	<div style="width: 0%;"></div>	GUAJOL	0.007	0.47	0.047	<div style="width: 4.7%;"></div>
BETA-MYRCENE	0.007	0.61	0.061	<div style="width: 6.1%;"></div>	CEDROL	0.007	ND	ND	<div style="width: 0%;"></div>
ALPHA-PHELLANDRENE	0.007	<0.20	<0.020	<div style="width: 0%;"></div>	<p>Analyzed by: 1879, 2076, 585, 1440      Weight: 0.9367g      Extraction date: 08/19/23 15:53:15      Extracted by: 1879</p> <p>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA063499TER      Reviewed On : 08/22/23 11:38:13 Instrument Used : DA-GCMS-004      Batch Date : 08/19/23 13:15:21 Analyzed Date : 08/20/23 11:17:23</p> <p>Dilution : 10 Reagent : 121622.26 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A</p> <p>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</p>				
3-CARENE	0.007	ND	ND	<div style="width: 0%;"></div>					
ALPHA-TERPINENE	0.007	ND	ND	<div style="width: 0%;"></div>					
LIMONENE	0.007	0.65	0.065	<div style="width: 6.5%;"></div>					
EUCALYPTOL	0.007	0.41	0.041	<div style="width: 4.1%;"></div>					
OCIMENE	0.007	ND	ND	<div style="width: 0%;"></div>					
GAMMA-TERPINENE	0.007	ND	ND	<div style="width: 0%;"></div>					
SABINENE HYDRATE	0.007	ND	ND	<div style="width: 0%;"></div>					
TERPINOLENE	0.007	ND	ND	<div style="width: 0%;"></div>					
FENCHONE	0.007	ND	ND	<div style="width: 0%;"></div>					
LINALOOL	0.007	<0.20	<0.020	<div style="width: 0%;"></div>					
FENCHYL ALCOHOL	0.007	ND	ND	<div style="width: 0%;"></div>					
ISOPULEGOL	0.007	ND	ND	<div style="width: 0%;"></div>					
CAMPHOR	0.007	ND	ND	<div style="width: 0%;"></div>					
ISOBORNEOL	0.007	<0.20	<0.020	<div style="width: 0%;"></div>					
BORNEOL	0.013	ND	ND	<div style="width: 0%;"></div>					
HEXAHYDROTHYMOL	0.007	2.98	0.298	<div style="width: 29.8%;"></div>					
NEROL	0.007	ND	ND	<div style="width: 0%;"></div>					
PULEGONE	0.007	<0.20	<0.020	<div style="width: 0%;"></div>					
GERANIOL	0.007	ND	ND	<div style="width: 0%;"></div>					
GERANYL ACETATE	0.007	ND	ND	<div style="width: 0%;"></div>					
ALPHA-CEDRENE	0.007	ND	ND	<div style="width: 0%;"></div>					
BETA-CARYOPHYLLENE	0.007	1.10	0.110	<div style="width: 11.0%;"></div>					
<b>Total (%)</b>			<b>0.830</b>	<div style="width: 83%;"></div>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
08/22/23

Revision: #1 - Clerical error.



# Certificate of Analysis

**PASSED**

Carmens Medicinals

1241 Stirling Road  
Dania Beach, FL, 33004, US  
Telephone: (954) 993-8077  
Email: [juan@carmensmedicinals.com](mailto:juan@carmensmedicinals.com)

Sample : DA30818010-001  
Harvest/Lot ID: 15156

Batch# : 1500-215X  
Sampled : 08/17/23  
Ordered : 08/17/23

Sample Size Received : 30 ml  
Total Amount : 30 ml  
Completed : 08/22/23 Expires: 08/22/24  
Sample Method : SOP Client Method

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND		
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND		
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND		
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND		
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND		
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND		
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND		
ACEPHATE	0.010	ppm	3	PASS	ND	PYRETHRIN I	0.010	ppm	1	PASS	ND		
ACEQUINOYL	0.010	ppm	2	PASS	ND	PYRETHRIN II	0.010	ppm	1	PASS	ND		
ACETAMIPRID	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND		
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND		
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND		
BIFENAZATE	0.010	ppm	3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND		
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND		
BOSCALID	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND		
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND		
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND		
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND		
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND		
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND		
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND		
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND		
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND		
DAZINON	0.010	ppm	3	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND		
DICHLORVOS	0.010	ppm	0.1	PASS	ND								
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by:	3379, 585, 1440	Weight:	0.2452g	Extraction date:	08/21/23 14:55:43	Extracted by:	4056,450,3379
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)						
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA063539PES						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)						
FENHEXAMID	0.010	ppm	3	PASS	ND	Analyzed Date :	08/21/23 13:55:01						
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution :	250						
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Reagent :	081523.R04; 040521.11; 081423.R20; 081823.R07; 081723.R03; 072523.R14; 081723.R01						
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW						
FLONICAMID	0.010	ppm	2	PASS	ND	Pipette :	DA-093; DA-094; DA-219						
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analyzed by:	450, 585, 1440	Weight:	0.2452g	Extraction date:	08/21/23 14:55:43	Extracted by:	4056,450,3379
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL						
IMIDACLOPRID	0.010	ppm	3	PASS	ND	Analytical Batch :	DA063540VOL						
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Instrument Used :	DA-GCMS-001						
MALATHION	0.010	ppm	2	PASS	ND	Analyzed Date :	08/21/23 14:58:16						
METALAXYL	0.010	ppm	3	PASS	ND	Dilution :	250						
METHIACARB	0.010	ppm	0.1	PASS	ND	Reagent :	081523.R04; 040521.11; 080723.R26; 080723.R27						
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW; 14725401						
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
NALED	0.010	ppm	0.5	PASS	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
08/22/23

Revision: #1 - Clerical error.



# Certificate of Analysis

**PASSED**

Carmens Medicinals

1241 Stirling Road  
Dania Beach, FL, 33004, US  
Telephone: (954) 993-8077  
Email: [juan@carmensmedicinals.com](mailto:juan@carmensmedicinals.com)

Sample : DA30818010-001

Harvest/Lot ID: 15156

Batch #: 1500-215X

Sampled : 08/17/23

Ordered : 08/17/23


Sample Size Received : 30 ml

Total Amount : 30 ml

Completed : 08/22/23 Expires: 08/22/24

Sample Method : SOP Client Method

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	5	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	410	PASS	ND
BENZENE	0.100	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	2000	PASS	ND
CHLOROFORM	0.200	ppm	60	PASS	ND
DICHLOROMETHANE	12.500	ppm	600	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	5000	PASS	ND
ETHYL ETHER	50.000	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	3000	PASS	ND
N-HEXANE	25.000	ppm	290	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	5000	PASS	ND
PROPANE	500.000	ppm	2100	PASS	ND
TOLUENE	15.000	ppm	890	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	80	PASS	ND
XYLENES-M&P (1,3&1,4-DIMETHYLBENZENE)	27.000	ppm	2170	PASS	ND
XYLENES-O (1,2-DIMETHYLBENZENE)	13.500	ppm	2170	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0217g	Extraction date: 08/21/23 12:50:30	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 08/22/23 14:15:45
Analytical Batch : DA063527SOL	Batch Date : 08/20/23 12:26:28
Instrument Used : DA-GCMS-003	
Analyzed Date : 08/21/23 12:56:16	

Dilution : 1  
Reagent : 030420.09  
Consumables : R2017.167; G201.167  
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

Carmens Medicinals

1241 Stirling Road  
Dania Beach, FL, 33004, US  
Telephone: (954) 993-8077  
Email: [juan@carmensmedicinals.com](mailto:juan@carmensmedicinals.com)

Sample : DA30818010-001  
Harvest/Lot ID : 15156

Batch# : 1500-215X  
Sampled : 08/17/23  
Ordered : 08/17/23

Sample Size Received : 30 ml  
Total Amount : 30 ml  
Completed : 08/22/23 Expires: 08/22/24  
Sample Method : SOP Client Method

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3390, 585, 1440    Weight: 1.0387g    Extraction date: 08/19/23 13:02:03    Extracted by: 3621

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
Analytical Batch : DA063490MIC    Reviewed On : 08/22/23 14:44:35    Batch Date : 08/19/23 10:22:17

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021  
Analyzed Date : 08/21/23 16:22:32

Dilution : N/A  
Reagent : 081123.R18; 080923.R15; 071023.03; 092122.09  
Consumables : 7565002014  
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440    Weight: 0.2452g    Extraction date: 08/21/23 14:55:43    Extracted by: 4056, 450, 3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
Analytical Batch : DA063541MYC    Reviewed On : 08/22/23 11:14:12    Batch Date : 08/20/23 14:23:34  
Instrument Used : N/A  
Analyzed Date : 08/21/23 13:55:25

Dilution : 250  
Reagent : 081523.R04; 040521.11; 081423.R20; 081823.R07; 081723.R03; 072523.R14; 081723.R01  
Consumables : 326250IW  
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	<0.100	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440    Weight: 0.2273g    Extraction date: 08/19/23 13:33:11    Extracted by: 3807, 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA063494HEA    Reviewed On : 08/22/23 10:14:34    Batch Date : 08/19/23 12:21:02  
Instrument Used : DA-ICPMS-003  
Analyzed Date : 08/21/23 16:59:40

Dilution : 50  
Reagent : 072622.03; 081823.R22; 081823.R19; 081823.R20; 081823.R21; 072523.R11; 080823.01; 072523.R10  
Consumables : 179436; 2209282; 210508058  
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	<0.100	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440    Weight: 0.2273g    Extraction date: 08/19/23 13:33:11    Extracted by: 3807, 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA063494HEA    Reviewed On : 08/22/23 10:14:34    Batch Date : 08/19/23 12:21:02  
Instrument Used : DA-ICPMS-003  
Analyzed Date : 08/21/23 16:59:40

Dilution : 50  
Reagent : 072622.03; 081823.R22; 081823.R19; 081823.R20; 081823.R21; 072523.R11; 080823.01; 072523.R10  
Consumables : 179436; 2209282; 210508058  
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
08/22/23

Revision: #1 - Clerical error.



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

**Kaycha Labs**

1500 Mg Full Spectrum

N/A

Matrix : Edible



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

# Certificate of Analysis

**PASSED**

**Carmens Medicinals**

1241 Stirling Road  
 Dania Beach, FL, 33004, US  
 Telephone: (954) 993-8077  
 Email: [juan@carmensmedicinals.com](mailto:juan@carmensmedicinals.com)

Sample : DA30818010-001

Harvest/Lot ID: 15156

Batch# : 1500-215X

Sampled : 08/17/23

Ordered : 08/17/23

Sample Size Received : 30 ml

Total Amount : 30 ml

Completed : 08/22/23 Expires: 08/22/24

Sample Method : SOP Client Method

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA063498FIL  
 Instrument Used : Filth/Foreign Material Microscope  
 Analyzed Date : 08/20/23 19:59:17  
 Reviewed On : 08/20/23 20:37:40  
 Batch Date : 08/19/23 13:14:53

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/LA-  
 Testing 97164

Signature  
 08/22/23

Revision: #1 - Clerical error.