



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

3000 Mg Broad Spectrum Kids

Matrix: Derivative

Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40423008-001
Harvest/Lot ID: 16265
Batch#: 03223000ISX
Batch Date: 04/18/24
Sample Size Received: 30 ml
Total Amount: 30 ml
Retail Product Size: 30 ml
Retail Serving Size: 30 ml
Servings: 1
Sample Density: 1.0 g/mL
Ordered: 04/22/24
Sampled: 04/23/24
Completed: 04/26/24
Sampling Method: SOP.T.20.010.FL

Apr 26, 2024 | Carmens Medicinals

1241 Stirling Road
Dania Beach, FL, 33004, US



PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.

Cannabinoid **PASSED**



Total THC
ND
Total THC/Container : 0.00 mg



Total CBD
9.146%
Total CBD/Container : 2743.80 mg



Total Cannabinoids
11.115%
Total Cannabinoids/Container : 3334.50 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	9.146	ND	ND	1.233	ND	0.669	ND	0.041	0.026
mg/ml	ND	ND	91.46	ND	ND	12.33	ND	6.69	ND	0.41	0.26
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 585, 1440 Weight: 3.0392g Extraction date: 04/24/24 12:00:28 Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 04/25/24 07:25:56
Analytical Batch : DA071959POT Batch Date : 04/24/24 09:19:25
Instrument Used : DA-LC-002

Dilution : 1600
Reagent : 032924.R01; 060723.24; 041624.R01
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
04/26/24



Certificate of Analysis

PASSED

Carmens Medicinals

1241 stirling road
Dania Beach, FL, 33004, US
Telephone: (954) 993-8077
Email: juan@carmensmedicinals.com

Sample : DA40423008-001
Harvest/Lot ID : 16265

Batch# : 0322300015X
Sampled : 04/23/24
Ordered : 04/23/24

Sample Size Received : 30 ml
Total Amount : 30 ml
Completed : 04/26/24 Expires: 04/26/25
Sample Method : SOP Client Method

Page 2 of 6

Terpenes				TESTED					
Terpenes	LOD (%)	mg/ml	%	Result (%)	Terpenes	LOD (%)	mg/ml	%	Result (%)
TOTAL TERPENES	0.007	3.90	0.390		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.21	0.121		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	0.72	0.072		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.64	0.064		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.51	0.051		BETA-PINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.45	0.045		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.23	0.023		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	0.14	0.014		TRANS-NEROLIDOL	0.007	ND	ND	
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
LINALOOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
Total (%)			0.390						

Analyzed by: 3605, 585, 1440 Weight: 0.2457g Extraction date: 04/24/24 12:16:30 Extracted by: 3605
 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
 Analytical Batch : DA071964TER Reviewed On : 04/25/24 10:23:11
 Instrument Used : DA-GCMS-004 Batch Date : 04/24/24 09:30:37
 Analyzed Date : N/A

Dilution : 10
 Reagent : 022224.01
 Consumables : 947.109; 230613-634-D; CE0123
 Pipette : DA-063

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

Carmens Medicinals

1241 stirling road
Dania Beach, FL, 33004, US
Telephone: (954) 993-8077
Email: juan@carmensmedicinals.com

Sample : DA40423008-001
Harvest/Lot ID: 16265

Batch# : 0322300015X
Sampled : 04/23/24
Ordered : 04/23/24

Sample Size Received : 30 ml
Total Amount : 30 ml
Completed : 04/26/24 Expires: 04/26/25
Sample Method : SOP Client Method

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRETHRIN I	0.010	ppm	1	PASS	ND
ACEQUINOXYL	0.010	ppm	2	PASS	ND	PYRETHRIN II	0.010	ppm	1	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
DIAZINON	0.010	ppm	3	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2811g	04/24/24 17:09:15	450,585		
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analysis Method :					
FENHEXAMID	0.010	ppm	3	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Analytical Batch :		Reviewed On :	04/26/24 10:23:27		
FIPRONIL	0.010	ppm	0.1	PASS	ND	DA071976PES		Batch Date :	04/24/24 10:18:53		
FLONICAMID	0.010	ppm	2	PASS	ND	Instrument Used :					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	DA-LCMS-003 (PES)					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analyzed Date :					
IMAZALIL	0.010	ppm	0.1	PASS	ND	N/A					
IMIDACLOPRID	0.010	ppm	3	PASS	ND	Dilution :					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent :					
METALAXYL	0.010	ppm	3	PASS	ND	042324.R12; 040423.08					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :					
METHOMYL	0.010	ppm	0.1	PASS	ND	326250IW; 14725401					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette :					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	N/A					
NALED	0.010	ppm	0.5	PASS	ND						

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analized by: 450, 585, 1440 Weight: 0.2811g Extraction date: 04/24/24 17:09:15 Extracted by: 450,585

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.102.FL (Davie)
Analytical Batch : DA071977VOL Reviewed On : 04/25/24 10:49:06
Instrument Used : DA-GCMS-001 Batch Date : 04/24/24 10:20:56
Analyzed Date : N/A

Dilution : 250
Reagent : 042324.R12; 040423.08; 041724.R34; 041724.R35
Consumables : 326250IW; DA-146; DA-218
Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/26/24



Certificate of Analysis

PASSED

Carmens Medicinals


 1241 Stirling Road
 Dania Beach, FL, 33004, US
 Telephone: (954) 993-8077
 Email: juan@carmensmedicinals.com

 Sample : DA40423008-001
 Harvest/Lot ID: 16265

 Batch# : 032230001SX
 Sampled : 04/23/24
 Ordered : 04/23/24

 Sample Size Received : 30 ml
 Total Amount : 30 ml
 Completed : 04/26/24 Expires: 04/26/25
 Sample Method : SOP Client Method

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	5	PASS	ND
ACETONE	75.000	ppm	5000	PASS	ND
DICHLOROMETHANE	12.500	ppm	600	PASS	ND
BENZENE	0.100	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	60	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	2000	PASS	ND
ACETONITRILE	6.000	ppm	410	PASS	ND
ETHYL ETHER	50.000	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	3000	PASS	ND
N-HEXANE	25.000	ppm	290	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	890	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	2100	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	80	PASS	ND
XYLENES-M&P (1,3&1,4-DIMETHYLBENZENE)	27.000	ppm	2170	PASS	ND
XYLENES-O (1,2-DIMETHYLBENZENE)	13.500	ppm	2170	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0231g	Extraction date: 04/25/24 14:21:20	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07198850L Instrument Used : DA-GCMS-003 Analyzed Date : 04/24/24 14:43:15	Reviewed On : 04/25/24 15:27:57 Batch Date : 04/24/24 12:22:10
---	---

 Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 304486
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Carmens Medicinals

1241 stirling road
Dania Beach, FL, 33004, US
Telephone: (954) 993-8077
Email: juan@carmensmedicinals.com

Sample : DA40423008-001
Harvest/Lot ID: 16265

Batch# : 032230001SX
Sampled : 04/23/24
Ordered : 04/23/24

Sample Size Received : 30 ml
Total Amount : 30 ml
Completed : 04/26/24 Expires: 04/26/25
Sample Method : SOP Client Method

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	ND	PASS	100000

Analyzed by: 3390, 585, 1440 **Weight:** 0.886g **Extraction date:** 04/24/24 11:44:32 **Extracted by:** 3390,4044
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA071946MIC **Reviewed On :** 04/26/24 18:46:48
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021
Batch Date : 04/24/24
Analyzed Date : 04/24/24 14:47:29

Dilution : N/A
Reagent : 032624.23; 032624.25; 041924.R15; 100223.07
Consumables : 7572001046
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 **Weight:** 0.2811g **Extraction date:** 04/24/24 17:09:15 **Extracted by:** 450,585
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA071978MYC **Reviewed On :** 04/26/24 10:22:13
Instrument Used : N/A **Batch Date :** 04/24/24 10:22:35
Analyzed Date : N/A
Dilution : 250
Reagent : 042324.R12; 040423.08
Consumables : 326250IW
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4044, 3390, 585, 1440 **Weight:** 0.886g **Extraction date:** 04/24/24 11:44:32 **Extracted by:** 3390,4044
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA071947TYM **Reviewed On :** 04/26/24 17:28:31
Instrument Used : Incubator (25-27°C) DA-097 **Batch Date :** 04/24/24 08:34:27
Analyzed Date : 04/24/24 12:28:31

Dilution : N/A
Reagent : 032624.23; 032624.25; 041124.R12
Consumables : N/A
Pipette : N/A

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 **Weight:** 0.241g **Extraction date:** 04/24/24 12:59:43 **Extracted by:** 4056
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA071986HEA **Reviewed On :** 04/25/24 10:46:53
Instrument Used : DA-ICPMS-004 **Batch Date :** 04/24/24 11:20:49
Analyzed Date : 04/25/24 10:26:34

Dilution : 50
Reagent : 032824.R05; 042224.R01; 041524.R04; 042224.R03; 042224.R02; 020524.01; 041224.R10
Consumables : 179436; 34623011; 210508058
Pipette : DA-061; DA-191; DA-216

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

3000 Mg Broad Spectrum Kids
 Matrix : Derivative



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Certificate of Analysis

PASSED

Carmens Medicinals

1241 Stirling Road
 Dania Beach, FL, 33004, US
 Telephone: (954) 993-8077
 Email: juan@carmensmedicinals.com

Sample : DA40423008-001
 Harvest/Lot ID: 16265

Batch# : 03223000ISX
 Sampled : 04/23/24
 Ordered : 04/23/24

Sample Size Received : 30 ml
 Total Amount : 30 ml
 Completed : 04/26/24 Expires: 04/26/25
 Sample Method : SOP Client Method

Page 6 of 6

	Filth/Foreign Material	PASSED
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
 Analytical Batch : DA071980FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 04/24/24 21:14:54
 Reviewed On : 04/24/24 21:41:20
 Batch Date : 04/24/24 10:47:31

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
 04/26/24